





Weight: 8 lbs. 6 oz.  
Dimensions: 21" L x 4" W x 13-3/4" H

## NPR90 21° FRAMING NAILER


Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
NPR90	50 - 75 Nails	2" to 3 - 1/2" 50mm to 90mm	.113 - .148	Restrictive

**Applications:**

Crating, Decking, Fencing, Framing, Pallet Manufacturing, Pallet Repair, Sheathing, Wall Paneling Construction

**Features:**

Uses Spotnails® 20-22° Nails, Bump Fire Plunger Included, Belt Hook Available (P-97469), Flush Drive Attachment Available (AS-99076), Rubber Grip for Comfort, Safety Glasses



Weight: 8 lbs. 6oz.  
Dimensions: 16-1/2" L x 4-1/2" W x 14-1/2" H

## NTD90 31° CLIPPED HEAD FRAMING NAILER


Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
NTD90	89 Nails	2" to 3-1/2" 50mm to 90mm	.113 - .148	Restrictive

**Applications:**

Crating, Decking, Fencing, Framing, Pallet Manufacturing, Pallet Repair, Sheathing, Wall Paneling Construction

**Features:**

Uses Spotnails® 31° Paper Tape Strip Nails, Bump Fire Plunger Included, Belt Hook Available (P-97469), Flush Drive Attachment Available (AS-99076), Rubber Grip for Comfort, Safety Glasses



Weight: 5 lbs. 2 oz.  
Dimensions: 12" L x 5-3/4" W x 13" H

## QCND65 0° PLASTIC COLLATED NAILER


Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
QCND65	300 Nails	1-1/4" to 2-1/2" 32mm to 64mm	.083 - .099	Selectable

**Applications:**

Decking, Exterior Trim, Fencing, Pallet Manufacturing, Pallet Repair, Sheathing, Siding

**Features:**

Uses Spotnails® CPD 0° Plastic Insertion Nails (Duo-Fast® Type), 360° Adjustable Exhaust, Adjustable Depth Control, Easy Maneuverability, Nail Basket, Rubber Grip for Comfort, Safety Glasses



Weight: 4 lbs. 7 oz.  
Dimensions: 12-1/4" L x 5" W x 12-1/2" H

## UCNM65 15° PLASTIC OR WIRE COLLATED NAILER


Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
UCNM65	300 Nails	1-1/4" to 2-1/2" 32mm to 64mm	.083 - .099	Selectable

**Applications:**

Decking, Exterior Trim, Fencing, Pallet Manufacturing, Pallet Repair, Sheathing, Siding

**Features:**

Uses Spotnails® 15° Plastic Insertion or Wire Weld Coil Nails, 360° Adjustable Exhaust, Adjustable Depth Control, Easy Maneuverability, Nail Basket, Rubber Grip for Comfort, Safety Glasses





Weight: 5 lbs. 15 oz.  
Dimensions: 12" L x 5" W x 12" H

### PT-CN55 PALLET/SIDING NAILER


Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
PT-CN55	300 Nails	1" to 2-1/4" 25mm to 57mm	.083 - .092	Bump

**Applications:**

Crating, Decking, Exterior Trim, Fencing, Pallet Manufacturing, Pallet Repair, Sheathing, Wall Paneling Construction

**Features:**

Uses Spotnails® .083 - .092 Wire Coil Nails, 360° Exhaust Direction, Body Protector, Comfort Grip, "Contact Mode" Safety System, Metal Nail Tray, Narrow Nose for Accurate Nail Placement, Protective Dust Cover, Tough Nylon Magazine, Well Balanced, Safety Glasses



Weight: 8 lbs. 2 oz.  
Dimensions: 13-1/2" L x 5" W x 12-3/4" H

### PT-CN70 PALLET NAILER


Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
PT-CN70	300 Nails	1-3/4" to 2-3/4" 45mm to 70mm	.090 - .113	Bump

**Applications:**

Crating, Decking, Exterior Trim, Fencing, Pallet Manufacturing, Pallet Repair, Sheathing, Wall Paneling Construction, Subflooring

**Features:**

Uses Spotnails® Pallet Nails, Adjustable Exhaust, Body Protector, Comfort Grip, Metal Nail Tray, Narrow Nose for Accurate Nail Placement, Protective Dust Cover, Tough Nylon Magazine, Safety Glasses



Weight: 5 lbs. 9 oz.  
Dimensions: 15" L x 4-1/2" W x 10-1/2" H

### MT9764 T-NAILER

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
MT9764	80 T-Nails	5/8" to 2-1/2" 16mm to 64mm	.097	Restrictive

**Applications:**

Fastening Tack Strips to Concrete

**Features:**

360° Adjustable Exhaust, Adjustable Depth Control, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses



Weight: 4 lbs. 10 oz.  
Dimensions: 14-1/4" L x 3-1/2" W x 10" H

### X1T8664 T-NAILER

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
X1T8664	100 T-Nails	5/8" to 2-1/2" 16mm to 64mm	.086	Restrictive

**Applications:**

Fastening Tack Strips to Concrete

**Features:**

Uses Spotnails® T08611H, 360° Adjustable Exhaust, Adjustable Depth Control, Easy Maneuverability, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses





Weight: 4 lbs. 4 oz.  
Dimensions: 13-1/4" L x 3" W x 9-1/4" H

## XBA1564 15 GAUGE 34° DA ANGLE FINISH NAILER


Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
XBA1564	100 Angle Brads	1" to 2-1/2" 25mm to 64mm	15	Restrictive

**Applications:**

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Exterior Trim, Finish Carpentry, Hardwood Flooring, Trim Molding

**Features:**

Uses Spotnails® 15 Gauge DA Brads (Similar to Senco® DA), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rear Load Magazine, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses



Weight: 4 lbs. 4 oz.  
Dimensions: 10" L x 3" W x 10-1/2" H

## XB1564 15 GAUGE FINISH NAILER

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
XB1564	100 Brads	1" to 2-1/2" 25mm to 64mm	15	Restrictive

**Applications:**

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Finish Carpentry, Hardwood Flooring, Trim Molding

**Features:**

Uses Spotnails® 15 Gauge Brads, 360° Adjustable Exhaust, Adjustable Depth Control, No Mar Tips, Quick Clear Nose, Rear Load Magazine, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses



Weight: 3 lbs. 9 oz.  
Dimensions: 9" L x 2-1/2" W x 9-1/2" H

## W1B1650 16 GAUGE BRADDER

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
W1B1650	100 Brads	1" to 2" 25mm to 50mm	16	Selectable

**Applications:**

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Finish Carpentry, Hardwood Flooring, Trim Molding

**Features:**

Uses Spotnails® 16 Gauge Brads, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rear Load Magazine, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Long Magazine Available (W1B1650LM)



Weight: 2 lbs. 4 oz.  
Dimensions: 10-1/2" L x 2" W x 9" H

## CB1650 16 GAUGE BRADDER

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
CB1650	115 Brads	3/4" to 2" 19mm to 50mm	16	Restrictive

**Applications:**

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Finish Carpentry, Hardwood Flooring, Trim Molding

**Features:**

Uses Spotnails® 16 Gauge Brads, 360° Adjustable Exhaust, Aluminum Magazine, Bump Fire Trigger Included, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Safety Glasses



Weight: 3 lbs. 9 oz.  
Dimensions: 9" L x 2-1/2" W x 9-1/2" H

## W1B1850 18 GAUGE BRADDER

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
W1B1850	100 Brads	1" to 2" 25mm to 50mm	18	Selectable

**Applications:**

Cabinet Assembly, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

**Features:**

Uses Spotnails® 18 Gauge AX Brads, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rear Load Magazine, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Long Magazine Available (W1B1850LM)





Weight: 2 lbs. 4 oz.  
Dimensions: 10-1/2" L x 2" W x 9" H

### CB1850 18 GAUGE BRADDER

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
CB1850	100 Brads	1/2" to 2" 12mm to 50mm	18	Restrictive

**Applications:**

Cabinet Assembly, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

**Features:**

Uses Spotnails® 18 Gauge AX Brads, 360° Adjustable Exhaust, Easy Maneuverability, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses



Weight: 3 lbs. 0 oz.  
Dimensions: 9" L x 2-1/2" W x 8-1/4" H

### T1B1840 18 GAUGE BRADDER

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
T1B1840	100 Brads	1" to 1-9/16" 25mm to 40mm	18	Selectable

**Applications:**

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

**Features:**

Uses Spotnails® 18 Gauge AX Brads, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rear Load Magazine, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses

Steel Magazine



Weight: 2 lbs. 3 oz.  
Dimensions: 10" L x 2" W x 8" H

### CB1832 18 GAUGE BRADDER

Tool	Brad Capacity	Brad Range	Gauge	Firing Mode
CB1832	100 Brads	3/8" to 1-1/4" 10mm to 32mm	18	Restrictive

**Applications:**

Cabinet Assembly, Drawer Assembly, Finish Carpentry, Furniture Assembly, Hardwood Flooring, Trim Molding

**Features:**

Uses Spotnails® 18 Gauge AX Brads, 360° Adjustable Exhaust, Aluminum Magazine, Easy Maneuverability, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses, No Mar Safety Available (AS-53078)

Aluminum Magazine



Weight: 2 lbs. 9 oz.  
Dimensions: 10-1/4" L x 1-1/2" W x 7-1/2" H

### SP2340 23 GAUGE PINNER


Tool	Pin Capacity	Pin Range	Gauge	Firing Mode
SP2340	100 Pins	1/2" to 1-9/16" 12mm to 40mm	23	Bump

**Applications:**

Cabinet Assembly, Drawer Assembly, Furniture Assembly, Trim Molding

**Features:**

Uses Spotnails® 23 Gauge Pins, Full Pin Range is 1/2" (12mm), 5/8" (15mm), 3/4" (18mm), 7/8" (22mm), 1" (25mm), 1-3/16" (30mm), 1-3/8" (35mm), 1-9/16" (40mm), Aluminum Magazine, Automatic Height Adjuster for Fasteners, Plastic Carrying Case, Rubber Grip for Comfort



# STAPLERS - 14, 15 AND 16 GAUGE




Weight: 5 lbs. 1 oz.  
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

## MS2440 14 GAUGE WIDE CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
MS2440	130 Staples	7/8" to 1-1/2" 22mm to 38mm	14	Restrictive

**Applications:**  
Truss Manufacturing

**Features:**  
Uses Spotnails® 2400 Staples (Similar to Paslode® GSW14), 360° Adjustable Exhaust, Adjustable Depth Control, Heavy Duty, Rubber Grip for Comfort, Powerful, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses




Weight: 5 lbs. 7 oz.  
Dimensions: 14-1/2" L x 4" W x 11" H

## MS6564 15 GAUGE MEDIUM CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
MS6564	138 Staples	1-1/4" to 2-1/2" 32mm to 64mm	15	Restrictive

**Applications:**  
Crating, Pallet Manufacturing

**Features:**  
Uses Spotnails® 6500 Staples (Similar to Senco® Q), 360° Adjustable Exhaust, Adjustable Depth Control, Heavy Duty, Powerful, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses




Weight: 5 lbs. 9 oz.  
Dimensions: 14-1/2" L x 4-1/2" W x 10-1/2" H

## MS7464 14 GAUGE MEDIUM CROWN STAPLER MS7564 15 GAUGE MEDIUM CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
MS7464	130 Staples	1-1/2" to 2-1/2" 40mm to 64mm	14	Restrictive
MS7564	138 Staples	1-1/2" to 2-1/2" 40mm to 64mm	15	Restrictive

**Applications:**  
Crating, Pallet Manufacturing

**Features:**  
MS7564 uses Spotnails® 7500 Staples, (Similar to Bostitch® BCS15S4), 360° Adjustable Exhaust, Adjustable Depth Control, Heavy Duty, Powerful, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses, Long Magazine Available (MS7564LM)




Weight: 5 lbs. 1 oz.  
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

## X1S1640 16 GAUGE WIDE CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S1640	150 Staples	5/8" to 1-1/2" 16mm to 38mm	16	Selectable

**Applications:**  
Crating, Fastening Corrugated Packaging, Insulation Installation, Lathing\*, Packaging, Roofing\*, Shingle Installation, Wall Paneling Construction

**Features:**  
Uses Spotnails® 1600 Staples (Similar to Bostitch® 16S2), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), \*Lathing Safety (AS-53085) and Roofing Safety (AS-53086) Available




Weight: 5 lbs. 2 oz.  
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

## X1S1650 16 GAUGE WIDE CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S1650	150 Staples	1" to 2" 25mm to 50mm	16	Selectable

**Applications:**  
Lathing\*, Wall Paneling Construction

**Features:**  
Uses Spotnails® 1600 Staples (Similar to Bostitch® 16S2), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), \*Lathing Safety (AS-53085) Available



### X1S1664 16 GAUGE WIDE CROWN STAPLER TO 2-1/2" LENGTH




Weight: 5 lbs. 2 oz.  
Dimensions: 14" L x 3-1/2" W x 9-3/4" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S1664	150 Staples	1" to 2-1/2" 25mm to 64mm	16	Selectable

**Applications:**  
Lathing\*

**Features:**

Uses Spotnails® 1600 Staples (Similar to Bostitch® 16S2), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), \*Lathing Safety (AS-53085) Available



### X1S2640 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 1 oz.  
Dimensions: 14" L x 3-1/2" W x 9-3/4" H


Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S2640	150 Staples	5/8" to 1-1/2" 16mm to 38mm	16	Selectable

**Applications:**

Crating, Fastening Corrugated Packaging, Insulation Installation, Lathing\*, Packaging, Roofing\*, Shingle Installation, Wall Paneling Construction

**Features:**

Uses Spotnails® 2600 Staples (Similar to Paslode® GSW16), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), \*Lathing Safety (AS-53085) and Roofing Safety (AS-53086) Available



### X1S2650 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 2 oz.  
Dimensions: 14" L x 3-1/2" W x 9-3/4" H


Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S2650	150 Staples	1" to 2" 25mm to 50mm	16	Selectable

**Applications:**

Lathing\*, Wall Paneling Construction

**Features:**

Uses Spotnails® 2600 Staples (Similar to Paslode® GSW16), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), \*Lathing Safety (AS-53085) Available



### X1S3640 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 1 oz.  
Dimensions: 14" L x 3-1/2" W x 9-3/4" H


Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S3640	150 Staples	1/2" to 1-1/2" 25mm to 38mm	16	Selectable

**Applications:**

Crating, Fastening Corrugated Packaging, Insulation Installation, Lathing\*, Packaging, Pallet Manufacturing, Roofing\*, Shingle Installation, Wall Paneling Construction

**Features:**

Uses Spotnails® 3600 Staples (Similar to Senco® P & Duo-Fast® 1700), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), Long Magazine Available (X1S3640LM) \*Lathing Safety (AS-53085) and Roofing Safety (AS-53086) Available



### X1S3650 16 GAUGE WIDE CROWN STAPLER



Weight: 5 lbs. 2 oz.  
Dimensions: 14" L x 3-1/2" W x 9-3/4" H


Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S3650	150 Staples	1" to 2" 25mm to 50mm	16	Selectable

**Applications:**

Lathing\*, Wall Paneling Construction

**Features:**

Uses Spotnails® 3600, Staples (Similar to Senco® P & Duo-Fast® 1700), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), \*Lathing Safety (AS-53085) Available



# MEDIUM CROWN STAPLERS

## X1S6650 16 GAUGE MEDIUM CROWN STAPLER



Weight: 4 lbs. 8 oz.  
Dimensions: 14-1/2" L x 4" W x 10" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S6650	150 Staples	5/8" to 2" 16mm to 50mm	16	Selectable


### Applications:

Bedding, Cedar Shingle Installation, Crating, Door & Window Manufacturing, Millwork-Door Jamb, Plywood Wall Sheathing, Sheathing, Siding, Wall Paneling Construction

### Features:

Uses Spotnails® 6600 & 5600 Staples (Similar to Senco® N, Bostitch® 16S5, Duo-Fast® 7600, Paslode® GSI16), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105), Long Magazine Available (X1S6650LM)

7/16" Crown



For Extra Power!

## MS6650i 16 GAUGE INDUSTRIAL MEDIUM CROWN STAPLER



Weight: 5 lbs. 7 oz.  
Dimensions: 14-1/2" L x 4-1/2" W x 10-1/2" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
MS6650i	150 Staples	5/8" to 2" 16mm to 50mm	16	Restrictive


### Applications:

Bedding, Cabinet Assembly, Crating, Door & Window Manufacturing, Furniture Assembly, Millwork-Door Jamb, Plywood Wall Sheathing, Sheathing, Wall Paneling Construction

### Features:

Uses Spotnails® 6600 & 5600 Staples (Similar to Senco® N, Bostitch® 16S5, Duo-Fast® 7600, Paslode® GSI16), 360° Adjustable Exhaust, Adjustable Depth Control, Heavy Duty, Powerful, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses, Long Magazine Available (MS6650iLM)

7/16" Crown



Weight: 4 lbs. 8 oz.  
Dimensions: 14-1/2" L x 4" W x 10" H

## X1S76-8650 16 GAUGE MEDIUM CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S76-8650	150 Staples	5/8" to 2" 16mm to 50mm	16	Selectable


### Applications:

Bedding, Cedar Shingle Installation, Crating, Door & Window Manufacturing, Furniture Assembly, Millwork-Door Jamb, Plywood Wall Sheathing, Sheathing, Siding, Wall Paneling Construction

### Features:

Uses Spotnails® 7600 & 8600 Staples (Similar to Bostitch® 16S4 & Paslode® GS16), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105)

1/2" Crown



For Extra Power!

## MS76-8650i 16 GAUGE INDUSTRIAL MEDIUM CROWN STAPLER



Weight: 5 lbs. 7 oz.  
Dimensions: 14-1/2" L x 4-1/2" W x 10-1/2" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
MS76-8650i	150 Staples	3/4" to 2" 19mm to 50mm	16	Restrictive


### Applications:

Bedding, Cabinet Assembly, Crating, Door & Window Manufacturing, Furniture Assembly, Millwork-Door Jamb, Plywood Wall Sheathing, Sheathing, Wall Paneling Construction

### Features:

Uses Spotnails® 7600 & 8600 Staples (Similar to Bostitch® 16S4 & Paslode® GS16), 360° Adjustable Exhaust, Adjustable Depth Control, Powerful, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses

1/2" Crown





**T1S6825 18 GAUGE MEDIUM CROWN STAPLER**



Weight: 2 lbs. 13 oz.  
Dimensions: 9-1/2" L x 2-1/2" W x 8-1/4" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
T1S6825	168 Staples	3/8" to 1" 9mm to 25mm	18	Selectable

**Applications:**

Cabinet Assembly, Case Backing, Drawer Assembly, Furniture Assembly, Siding\*

**Features:**

Uses Spotnails® 6800 Staples (Similar to Senco® M & Duo-Fast® W1800), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, **No Mar Safety Available (AS-53102)**, T1S6832S String Feed Stapler, \*T1S6825V With Vinyl Siding Safety

3/8" Crown



**T1S5825F 18 GAUGE MEDIUM CROWN FLARE STAPLER**



Weight: 2 lbs. 13 oz.  
Dimensions: 9-1/2" L x 2-1/2" W x 8-1/4" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
T1S5825F	168 Staples	1" 25mm	18	Restrictive


**Applications:**

Bedding

**Features:**

Uses Spotnails® 5808PG-50M-L Staples (Similar to Bostitch® SL5035 & BeA® 92), 360° Adjustable Exhaust, Adjustable Depth Control, Hinged Nose-Plate for Easy Access, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Safety Glasses, Bump Fire Conversion

5/16" Crown



**W1S4840 18 GAUGE NARROW CROWN STAPLER**



Weight: 3 lbs. 9 oz.  
Dimensions: 12" L x 2-1/2" W x 9-1/2" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
W1S4840	168 Staples	1/2" to 1-5/8" 12mm to 40mm	18	Selectable


**Applications:**

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Floor Underlayment, Furniture Assembly, Underlayment

**Features:**

Uses Spotnails® 4800 Staples (Similar to Senco® L & Duo-Fast® 1800), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, **Long Magazine is Available (W1S4840LM)**

1/4" Crown



**T1S4825 18 GAUGE NARROW CROWN STAPLER**



Weight: 3 lbs. 0 oz.  
Dimensions: 9-1/2" L x 2-1/2" W x 8-1/4" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
T1S4825	168 Staples	3/8" to 1" 9mm to 25mm	18	Selectable


**Applications:**

Cabinet Assembly, Door & Window Manufacturing, Floor Underlayment, Furniture Assembly, Underlayment

**Features:**

Uses Spotnails® 4800 Staples (Similar to Senco® L & Duo-Fast® 1800), 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, **No Mar Safety Available (AS-53100)**

1/4" Crown



**T1S3832 18 GAUGE NARROW CROWN STAPLER**



Weight: 2 lbs. 13 oz.  
Dimensions: 11-1/2" L x 2-1/2" W x 8" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
T1S3832	168 Staples	1/2" to 1-1/4" 12mm to 32mm	18	Selectable


**Applications:**

Cabinet Assembly, Door & Window Manufacturing, Drawer Assembly, Floor Underlayment, Furniture Assembly, Underlayment

**Features:**

Uses Spotnails® 3800 Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Restrictive Trigger Available, Safety Glasses, **No Mar Safety Available (AS-53100)**, Long Magazine Is Available (T1S3832LM)

3/16" Crown





Weight: 4 lbs.11 oz.  
Dimensions: 12" L x 2-1/2" W x 9-1/2" H

### W1S4840W6 18 GAUGE NARROW CROWN STAPLER

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
W1S4840W6	168 Staples	1-3/8" 35mm	18	Selectable

**Applications:**

Engineered Hardwood Floor Installation, Hardwood Flooring, Tongue & Groove Flooring

**Features:**

Uses Spotnails® 4811PN Nylon Coated Staples (Similar to Senco® L & Duo-Fast® 1800) To Increase Holding Power, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Restrictive Trigger Available, Plastic Carrying Case, Safety Glasses

1/4" Crown



### X1S1640RFH X1S3640RFH 16 GAUGE WIDE CROWN RADIANT FLOOR STAPLERS

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
X1S1640RFH	150 Staples	1" to 1-1/2" 25mm to 38mm	16	Selectable
X1S3640RFH				

**Applications:**

Radiant Floor Heating

**Features:**


X1S1640RFH Uses Spotnails® 1600 Staples (Similar to Bostitch® 16S2)

X1S3640RFH Uses Spotnails® 3600 Staples (Similar to Senco® P & Duo-Fast® 1700)

360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Two Guide Blocks for Tubing, Restrictive Trigger Available, Safety Glasses, Walking Stick Available (AS-99105)



1" Crown



Weight: 9 lbs. 1 oz.  
Dimensions: 14" L x 3-1/2" W x 36-1/2" H



Weight: 10 lbs. 0 oz.  
Dimensions: 17" L x 3-1/2" W x 21" H

### FS7550 FLOORING STAPLER FCL2650 CLEAT FLOORING TOOL

Tool	Magazine Capacity	Fastener Range	Gauge	Exhaust
FS7550	100 Staples	1-1/2" to 2" 38mm to 50mm	15	Rear
FCL2650	100 Cleats		16	

**Applications:**

Hardwood Flooring, Tongue & Groove Flooring


**Features:**

FS7550 Uses Spotnails® 7500 Staples (Similar to Bostitch® BCS15S4)

FCL2650 Uses Spotnails® 26124, 26128 & 26132 'L' Flooring Cleats

Air Assisted, Rubber Mallet Included, Plastic Carrying Case, Rubber Grip for Comfort, Safety Glasses

FS7550 1/2" Crown  
FCL2650 L Cleat



**PS7116 PS8016 PS5016 PSA1116**



Weight: 2 lb. 3 oz.  
Dimensions: 8" L x 1-1/2" W x 6" H

Tool	Staple Capacity	Staple Range	Gauge	Crown	Exhaust
PS7116	100 Staples	1/8" to 9/16"	22	3/8"	Front
PS8016	100 Staples	3mm to 14mm	20	1/2"	
PS5016	84 Staples	1/4" to 9/16"	20	1/2"	
PSA1116	100 Staples	6mm to 14mm	20	3/8"	

**Applications:**

PS7116: Automotive Vinyl & Interior Trim, Bedding, Insulation Installation, Picture Frames, Poly Sheeting, Screening, Upholstery

PS8016, PS5016 & PSA1116: Insulation Installation, Picture Frames, Poly Sheeting, Roofing Felt Installation, Screening, Upholstery

**Features:**

PS7116 Uses Spotnails® 87000 Staples, (Similar to Senco® C/BeA® 71)

PS8016 Uses Spotnails® 98000 Staples, (Similar to BeA® 80)

PS5016 Uses Spotnails® 35000 Staples, (Similar to Duo-Fast® 50)

PSA1116 Uses Spotnails® 85000 Staples, (Similar to Rapid® A11/Arrow® T50)

Bottom Load, Front Exhaust, Plastic Carrying Case, Rubber Grip for Comfort

**IS7116**



Weight: 2 lb. 2 oz.  
Dimensions: 9-1/4" L x 1-1/2" W x 6" H

Tool	Staple Capacity	Staple Range	Gauge	Crown	Exhaust
IS7116	100 Staples	1/8" to 9/16" 3mm to 14mm	22	3/8"	Rear

**Applications:**

Automotive Vinyl & Interior Trim, Bedding, Insulation Installation, Picture Frames, Poly Sheeting, Screening, Upholstery

**Features:**

IS7116 Uses Spotnails® 87000 Staples, (Similar to Senco® C/BeA® 71) Bottom Load, Rear Exhaust, Rubber Grip for Comfort

**JS7116LN JS5016LN**



Weight: 2 lb. 5 oz.  
Dimensions: 8-1/2" L x 1-3/4" W x 8" H

Tool	Staple Capacity	Staple Range	Gauge	Crown	Exhaust
JS7116LN	100 Staples	1/8" to 9/16" 3mm to 14mm	22	3/8"	Front
JS5016LN	84 Staples	1/8" to 9/16" 3mm to 14mm	20	1/2"	

**Applications:**

JS7116LN: Automotive Vinyl & Interior Trim, Bedding, Picture Frames, Screening, Upholstery

JS5016LN: Picture Frames, Roofing Felt Installation, Screening, Upholstery


**Features:**

JS7116LN Uses Spotnails® 87000 Staples, (Similar to Senco® C/BeA® 71)

JS5016LN Uses Spotnails® 35000 Staples, (Similar to Duo-Fast® 50)

Bottom Load, Front Exhaust, Plastic Carrying Case, Rubber Grip for Comfort

**BS7116AF BS8016AF BS5016AF BSA1116AF**



Double Length Magazine

Weight: 2 lb. 6 oz.  
Dimensions: 15-1/4" L x 1-1/2" W x 5-1/2" H

Tool	Staple Capacity	Staple Range	Gauge	Crown	Exhaust
BS7116AF	200 Staples	1/8" to 9/16"	22	3/8"	Rear
BS8016AF	200 Staples	3mm to 14mm	20	1/2"	
BS5016AF	168 Staples	1/4" to 9/16"	20	1/2"	
BSA1116AF	168 Staples	6mm to 14mm	20	3/8"	

**Applications:**

BS7116AF: Automotive Vinyl & Interior Trim, Bedding, Insulation Installation, Picture Frames, Poly Sheeting, Upholstery

BS8016AF, BS5016AF & BSA1116AF: Insulation Installation, Picture Frames, Poly Sheeting, Roofing Felt Installation, Upholstery

**Features:**

BS7116AF Uses Spotnails® 87000 Staples, (Similar to Senco® C/BeA® 71)

BS8016AF Uses Spotnails® 98000 Staples, (Similar to BeA® 80)

BS5016AF Uses Spotnails® 35000 Staples, (Similar to Duo-Fast® 50)

BSA1116AF Uses Spotnails® 85000 Staples, (Similar to Rapid® A11/Arrow® T50)

Adjustable Speed For Auto Fire, Bottom Load, Fast, Lightweight, Rear Exhaust, Rubber Grip for Comfort



Weight: 3 lbs. 12 oz.  
Dimensions: 14"-1/2" L x 4-1/4" W x 11-1/2" H

## HSC3519A HSC3219C MANUAL CARTON CLOSING STAPLERS



Tool	Staple Capacity	Staple Range	Exhaust
HSC3519A	100 Staples	5/8" to 3/4" 16mm to 19mm	None
HSC3219C			

### Applications:

Carton Closing—For Use Where Compressed Air Is Not Available, Packaging

### Features:

HSC3519A Uses Spotnails® CC58A & CC34A 1-3/8" Crown Carton Closing Staples  
HSC3219C Uses Spotnails® CC58C & CC34C 1-1/4" Crown Carton Closing Staples  
Easy Adjustment for Clinch Control, Staple Depth, Staple Length, Rear Load Magazine



Weight: 4 lbs. 8 oz.  
Dimensions: 13" L x 4-1/2" W x 8-1/2" H

## KSC3519A KSC3219C PNEUMATIC CARTON CLOSING STAPLERS


Tool	Staple Capacity	Staple Range	Exhaust
KSC3519A	100 Staples	5/8" to 3/4" 16mm to 19mm	Rear
KSC3219C			

### Applications:

Carton Closing, Packaging

### Features:

KSC3519A Uses Spotnails® CC58A & CC34A 1-3/8" Crown Carton Closing Staples  
KSC3219C Uses Spotnails® CC58C & CC34C 1-1/4" Crown Carton Closing Staples  
Easy Adjustment for Clinch Control, Staple Depth, Staple Length, Rear Load Magazine



Weight: 5 lbs. 15 oz.  
Dimensions: 4-1/2" L x 9-1/4" W x 8-3/4" H

## KSR3219R KRSWC7437 PNEUMATIC CARTON CLOSING ROLL STAPLERS


Tool	Staple Capacity	Staple Range	Exhaust
KSR3219R	1000 Staples	5/8" to 3/4" 16mm to 19mm	Rear
KRSWC7437			

### Applications:

Carton Closing, Packaging

### Features:

KSR3219R Uses Spotnails® CCRR1, 1-1/4" Crown Carton Closing Staples  
KRSWC7437 Uses Spotnails® CCBR1, 1-3/8" Crown Carton Closing Staples  
Air Operated Carton Closing Roll Stapler, Easy Adjustment for Clinch Control, Staple Depth, Staple Length, Rear Load Magazine



Weight: 4 lbs. 8 oz.  
Dimensions: 14" L x 2" W x 10-1/4" H

## DSP103020 DSP777 DSP779 DSP5019 PNEUMATIC CARTON CLOSING PLIER STAPLERS


Tool	Staple Capacity	Staple Range	Exhaust
DSP103020	102 Staples	3/8" to 5/8" 10mm to 16mm	Side
DSP777	102 Staples		
DSP779	220 Staples		
DSP5019	168 Staples		

### Applications:

Carton Closing, Fastening Corrugated Packaging, Packaging

### Features:

DSP103020 Uses Spotnails® 91200 Staples, (Similar to Bostitch® SB103020)  
DSP777 Uses Spotnails® 94200 Staples, (Similar to JK777)  
DSP779 Uses Spotnails® 95500 Staples, (Similar to JK779)  
DSP5019 Uses Spotnails® 67500 Staples, (Similar to Bostitch® SB5019/Senco® F / Paslode® PW50)  
Heavy Duty




Optional Clinchers Available – See Accessories, Page 16

BOT-3222C-AM



**BOT-3222C-AM      BOT-3222C-PM**  
**MANUAL BOTTOMER STAPLERS**

Tool	Staple Capacity	Staple Range	Crown
BOT-3222C-AM	300 Staples	5/8" to 3/4" 16mm to 19mm	1-1/4"
BOT-3222C-PM			



**Applications:**

Carton Closing, Foot Stapler, Packaging

**Features:**

**BOT-3222C-AM:** Arm Manual Bottomer, Foot Operated  
**BOT-3222C-PM:** Post Manual Bottomer, Foot Operated  
*Uses Spotnails® CC58C & CC34C 1-1/4" Crown Carton Closing Staples*, For Bottom Closing of Corrugated Cardboard Where Compressed Air is Not Available

Weight: 75 lbs.

Dimensions: 36-1/2" L x 30" W x 53-1/4" H


**BOT-3222C-PM**  
 Anvil Height 41"

BOT-3222C-AP



**BOT-3222C-AP      BOT-3222C-PP**  
**PNEUMATIC BOTTOMER STAPLERS**

Tool	Staple Capacity	Staple Range	Crown
BOT-3222C-AP	300 Staples	5/8" to 3/4" 16mm to 19mm	1-1/4"
BOT-3222C-PP			



**Applications:**

Carton Closing, Foot Stapler, Packaging

**Features:**

**BOT-3222C-AP:** Arm Pneumatic Bottomer Stapler  
**BOT-3222C-PP:** Post Pneumatic Bottomer Stapler  
*Uses Spotnails® CC58C & CC34C 1-1/4" Crown Carton Closing Staples* Air-Operated Bottom Closing of Corrugated Cardboard Boxes

Weight: 80 lbs.

Dimensions: 36-1/2" L x 30" W x 53-1/4" H

**BOT-3222C-PP**  
 Anvil Height 41"



**X1C1008 X1C1016 RC1016 CORRUGATED FASTENERS**

Weight: 5 lbs. 3 oz.  
Dimensions: 14" L x 3-1/2" W x 9-1/4" H

Tool	Capacity	Range	Crown	Firing Mode
X1C1008	156 Fasteners	1/4" to 5/8" 6mm to 16mm	1/2"	Restrictive
X1C1016	120 Fasteners		1"	
RC1016	120 Fasteners		1"	

**Applications:**  
X1C1008 Cabinet Assembly, Drawer Assembly, Furniture Assembly, Picture Frames



X1C1008



**X1C1016**

Weight: 5 lbs. 3 oz.  
Dimensions: 14" L x 3-1/2" W x 9-1/4" H

**Features:**  
X1C1008 Uses Spotnails® FFSMICRO6, FFSMICRO8, FFS-MICRO10, FFSMICRO12, FFSMICRO15, 1/2" Crown Fasteners, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses

**Special Features:**  
X1C1008 Has A Special Angled Nose For More Precise Placement, Long Driver Blade For Deep Countersink, Hinged Nose-Plate For Easy Access

1/2" Crown



X1C1008




**RC1016**

Weight: 4 lbs. 7 oz.  
Dimensions: 14" L x 2-3/4" W x 9-1/4" H

**Applications:**  
X1C1016 & RC1016 Furniture Assembly, Hollow Core Doors, Pallet Repair, Truss Manufacturing

**Features:**  
X1C1016 & RC1016 Uses Spotnails® 416, 616, 816 & 1016, 1" Crown Fasteners, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Rubber Grip for Comfort, Bump Fire Trigger Included, Plastic Carrying Case, Safety Glasses

**Special Features:**  
RC1016 Is Used For Stringer Repair, Narrow Enough To Get Between Slats



X1C1016  
RC1016




Weight: 1 lbs. 0 oz.  
Dimensions: 6-3/4" L x 3/4" W x 3-7/8" H

**07020 CLIPPER PLIER STAPLER**

Tool	Capacity	Range	Gauge	Crown
07020	210 Staples	1/4" 16mm	26	1/2"

**Applications:**  
Bag Closing, Dry Cleaner Tagging, Laundry Tagging, Office Stapler, Packaging

**Features:**  
Uses Spotnails® 70001 1/2" Undulated Crown Staples For Greater Holding Power, or Spotnails® 76001 in 1/4" Length, 2-5/8" Throat Depth, All Steel Construction, Can Use Standard Office Staples, Chrome Finish, Heavy Duty, No Cords, No Hoses, No Outlets



Standard  
Staple

**LONG MAGAZINE TOOLS**



**W1B1650LM**

Weight: 3 lbs. 9 oz.  
Dimensions: 9" L x 2-1/2" W x 9-1/2" H

Tool	Capacity	Range	Gauge	Crown
W1B1650LM	200 Fasteners	1" to 2" 25mm to 50mm	16	Brad
W1B1850LM	200 Fasteners		18	Brad
MS7564LM	200 Fasteners	1-1/2" to 2-1/2" 38mm to 64mm	15	1/2"
X1S3640LM	300 Fasteners	1/2" to 1-1/2" 25mm to 38mm	16	1"
X1S6650LM	337 Fasteners	5/8" to 2" 16mm to 50mm	16	7/16"
MS6650iLM	337 Fasteners	1/2" to to 1-5/8" 12mm to 40mm	16	7/16"
W1S4840LM	300 Fasteners	1-1/2" to 2-1/2" 38mm to 64mm	18	1/4"
T1S3832LM	300 Fasteners	1/2" to 1-1/4" 12mm to 32mm	18	3/16"

Weight: 5 lbs. 2 oz.  
Dimensions: 25" L x 3" W x 9" H

**All Tools Have Normally On Remote Valve – For Additional Options see Page 16**



Weight: 4 lbs. 0 oz.  
Dimensions: 14" L x 7-1/2" W x 7" H

### GCS8116 20 GAUGE CAP STAPLER


Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
GCS8116	200 Staples/200 Caps	5/8" 16mm	20	Bump

**Applications:**

Housewrap Installation, Roofing, Roofing Installation, Synthetic, Underlayment, Tar Paper

**Features:**

Uses Spotnails® 136225, 3/8" Crown Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Quick Clear Nose, Plastic Carrying Case



### LCS6838 18 GAUGE CAP STAPLER




Weight: 4 lbs. 13 oz.  
Dimensions: 13-1/2" L x 9-1/2" W x 8-1/2" H

Tool	Staple Capacity	Staple Range	Gauge	Firing Mode
LCS6838	200 Staples/200 Caps	5/8" & 7/8" 16mm & 22mm 1-1/4" & 1-1/2" 32mm & 38mm	18	Selectable

**Applications:** Housewrap Installation, Insulation Installation, Roofing, Roofing Felt Installation, Synthetic Underlayment, Tar Paper

**Features:** Uses Spotnails® 136025 – 136095 Staples, 3/8" Crown Staples, 360° Adjustable Exhaust, Adjustable Depth Control, Blue Adjustable Trigger, Clear Cap Basket, Quick Clear Nose, Rubber Grip for Comfort, Plastic Carrying Case, Safety Glasses



Weight: 4 lbs. 9 oz.  
Dimensions: 14" L x 6" W x 9" H

### 136250 CAP NAILER

Tool	Nail Capacity	Nail Range	Diameter	Firing Mode
136400	200 Caps/200 Nails	1" 25mm	.083	Bump

**Applications:** Housewrap Installation, Insulation Installation, Roofing, Roofing Felt Installation

**Features:** Uses 136260 1" NailPac, 360° Adjustable Exhaust, Nail Basket, Rubber Grip for Comfort, Plastic Carrying Case, Safety Glasses



Weight: 2 lbs. 6 oz.  
Dimensions: 17" L x 2" W x 5" H

### 136400 136401 CAP HAMMER TACKERS

Tool	Staple Capacity	Staple Range	Gauge	Crown
136400	168 Staples/Caps	3/8"	20	3/8"
136401		10mm		


**Applications:**

Housewrap Installation, Roofing

**Features:**

136400 & 136401 Uses 136420 3/8" Crown Staples, Airless Cap System, No Cords, No Hoses, No Outlets, Rubber Grip for Comfort

**Special Features:** 136401 Auto Feed Cap Hammer, No Trigger to Advance Caps, Just Swing Hard



Weight: 2 lbs. 9 oz.  
Dimensions: 13-1/2" L x 5-1/4" W x 5-1/2" H



35001 Weight: 2 lbs. 10 oz.  
Dimensions: 11-1/2" L x 1-1/2" W x 3-1/4" H

84001 Weight: 2 lbs. 0 oz.  
Dimensions: 10-1/2" L x 1" W x 2" H

85000 Weight: 2 lbs. 10 oz.  
Dimensions: 12" L x 1-1/2" W x 2" H

### 35001 84001 85000 HAMMER TACKERS

Tool	Staple Capacity	Staple Range	Gauge	Crown
35001	168 Staples	1/4" - 3/8"	20	1/2"
84001	125 Staples		23	3/8"
85000	168 Staples		20	3/8"

**Applications:** 35001, 84001 & 85000 Carpeting, Housewrap Installation, Insulation Installation, Poly Sheeting, Roofing, Roofing Felt Installation, Tar Paper

**Features:**

35001 Uses Spotnails® 35500/36505 Staples, (Similar to Duo-Fast® 50) Bottom Load

84001 Uses Spotnails® 84504 Staples, (Similar to Rapid® 19) Rear Load

85000 Uses Spotnails® 85000 Staples, (Similar to Rapid® A-11 / Arrow® T50) Rear Load, Economical, Fast, Lightweight, No Cords, No Hoses, No Outlets, Portable



# Optional Tool Accessories

## ANVIL ACCESSORIES - DSP TOOLS

B Type Raised Anvil    CL Type C Shaped Left    CR Type C Shaped Right    DR Type D Shaped Right    DL Type D Shaped Left

REFER TO PARTS DIAGRAM FOR DETAILS

## COMPACT PRESSURE REGULATOR 50 PSI

AS-97412  
For All DSP Plier Tools

## GUN HOOKS

RE-SH001 Spring Hook    RE-GH10 Gun Hook

## QUICK CONNECT FITTINGS

P-30101 1/4" NPT    P-30119 1/4" NPT    P-30123 3/8" NPT

## POSITIVE PLACE ATTACHMENT

For W1S4840  
AS-99080

## LATHING OR ROOFING SAFETY

For 16 Gauge Wide Crown Tools, 1-1/2" Max.  
AS-53085 For Lathing  
AS-53086 For Roofing

## VINYL SIDING ATTACHMENT KIT

AS-53088 For X1S Body Tools  
AS-99087 For 18 Gauge Medium Crown Tools

## STAPLE REMOVERS

P-97491 Carton Closing Remover  
P-97482 Upholstery Staple Remover

## UNIVERSAL WALKING STICK

For All T, T1, W, W1, X & X1 Body Tools  
AS-99105

CUSTOM MODIFICATION IS AVAILABLE

## MALLETS

Dead Blow P-97443    No Mar Face P-97473

## REMOTE VALVES

Air Pilot Normally On  
Air Pilot Normally Off  
24 VDC Normally Off


Description	X1 & M Body	C, J, P, S & W1 Body
Air Pilot N/On	AS-97290	AS-97269
Air Pilot N/Off	AS-97401	AS-97404
24 VDC N/Off	AS-97390	AS-97405

## MOUNTING SYSTEM KIT

CUSTOM MOUNTING BRACKETS AVAILABLE



KEY CODE



SPOTNAILS FASTENERS	Spotnails®	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
2-6D113 - 2-16D131 20-22° Nails 2" - 3-1/2"	NPR90 YPR90	FramePro 502 FRH, 600 FramePro 650/651/602/652 GT90RFH, SN902/952XP FramePro 702XP/752XP-FRH SN60, SN65, SN65C	CN350 SNP-83 CN-137 NSP-350F New DF350CN	F21PL N95RHN KN85PP-1 N88RH/N86S RN90	5350/SRH-20 5325/SRH	FR350	NR83A (20°) NR90	GRTRH350	D51850 D51845 D51844 DCN692M1 DW325PL	AN923 AN8300 AN922	SN80/90 SN883RH SN890RH GS683RH GS683H-EX	Rigid: R350CHA Fasco: F5C-RHN20-90A Fasco: F6C-RHN20-100A Fasco: F5C-RHN20-83 Fasco: F6 RHN20-90
31° - 34° Paper Tape Nails .120 - .131 2-3/8" - 3"	YTD90 NTD90	SN70XP, SN951XP SN2+, SN3, SN70 FramePro 701XP/751XP FramePro 601/651/600/650 FramePro 700 FramePro 750 SN325+, SN2, SN4 SN901XP GT90CH		N90PT F33PT N79PT LPF33PT	PF350 Impulse 325 Impulse 350 IM CT 5300, 5325 5350 PM5350-90S F350S, F400S GN212, SK312	FC350 FM350	NR90AA NR90AD NR83AA3 NR83AA NR90GC	GRTCH350	D51825 D51823 D51822 DWF83PT DW325PT	AN943 AN942	SN890CH/34 SN883CH/34 GS683CH-EX	Rigid: R350CHA Fasco: F6 HHN 31-90 Fasco: R5C HHN 31-90
Joist Hanger Nails .131 - .148 1-1/2"		HN150 HN250		MCN150- STRAPSHOT	F250S-PP 5250/65S PP Impulse 325-PP PF150S-PP		NR65AK NR65AK(S)	GR150 GRSB150 GRSB250	DWMC150			Pneu: RN150 Pneu: RN250 Pneu: RNS150 Pneu: RNS250
CW Series Nails Flat Coil Nails .113 - .131 2-3/8" to 3-1/4"	YCN83	PalletPro 83 Coil Nailer SCN65 SCN60 SCN300 SCN65XP	CNW-75 DCN-325/85L	N75C-1/ N89C-1 N80C/N80CB N86C N100C N100CP N66C N400C-1	F275C F325C F4250/65CP F4275/CN70 5325/CN80 P350C	Coil 350	NV83A NV65AB NV65AE NV83A3	GRTC90	DW325C	AN901 AN611	CN70 to 2-3/4" Max CN80 CN80F to 3-1/4" Max CN100 CN890S to 3-1/2" CN890II CN665, HN90	Fasco: R5CN15W-90A Fasco: F5CCN15W90 Fasco: F5CCN15W75 Bea: T701 Bea: 900DC Bea: 800DC
CW Series Nails Pallet Nails .099 2" to 2-3/8"	MCW64 ZCN70 PT-CN70	PalletPro 70 PalletPro 90 SCN45, SCN56 SCN60 SCN65 SCN200 SCN300 SCN60XP	CNW-75	N63CP N64CP N57C N70C N86C, N100C N70CB N80CB N100CPP	P275C P350C F4250/65CP 4275/CN70 5325/CN80 F275C F325C	Coil 250	NV65AB NV65AC	GRTCS250 GRTC90P		AN611 AN621	CN550S CN70 to 2-3/4" CN80 to 3-1/4" CN80F CN100 CN89011 CN565 CN890S	Fasco: F45C CN15W- -PS65 S.A Fasco: F5 CN15W-65 Fasco: R5 CN15W-65
CW Series Nails Flat Coil Nails .083 1-1/4" to 2-1/4"	LCN57 UCNM65 PT-CN55	PalletPro 57F Coil Nailer SCN45 SCN49		N64C N65CP N66C N55C, N50C	3225			GRTC90 GRTC90			HN65 CN65 CN55	Fasco: F44ACCN15W- -PS65 Fasco: F4PACCN15W-57A
CWC Nails Cone Coil Nails .083 1-1/4" to 2"	VCN50	SCN45					NV50A1				CN502	
CW Series Nails .090 Wire Weld 304 SS Nails .092 Flat HDG 1-1/4" to 2-1/2"	UCNM65 PT-CN55	SCN45 SCN49 SCN55 SCN56		N50C N55C NC65CP			NV65AB NV75AG	GRTCS250	DW66C-1		CN55 CN550S CN665	
CRN08G-CRN14G Roofing Coil Nails 1" to 1-3/4"	VRN45 YRN45	SCN200R SCN40R RoofPro 450 RoofPro 455XP	DRN-45 RN-175A	N12B RN45, RN46 RN45B N12-40	3175/44RCU R175C	134R RN175 RN175A	NV45AE(S) NV45AB NV45AC NV45AB2	GRTC90	D51321 DW45RN	AN451 AN453	CN445R CN450R	Rigid: R175RNA Fasco: F3C CN15W-32 Fasco: R4 CN15W-45 Fasco: F4CN15W-45
CPD Series Nails 0° Degree Coil Plastic Nails 1-3/4" to 2-1/4" (Similar to Duo-Fast®)	QCND65		DCN-225 KDN-50A RCN-60 RCN-70/60A CNP-60Y CNP-65Y RCN-60/225ADJ					GRTC90				
CPM Nails Plastic Coil - Max Type 2.25 x .092		SCN45 SCN56 SCN55S SCN49		N63CP N66C		Coil250	NV65AH HV75AG	GRTCS250		AN611	CN4525K CN552S, CN565S CN565D, CN890S HN65	Fasco: F45C CN15WPS-65
T08611H T-Nails 11/16"	XT8664 X1T8664			MIII812CNCT MA-097-T								Fasco: F45C NT-70 SS
1508APB/APG-1520APB/ APG 15 Gauge DA Angle Brads 1" to 2-1/2" (Similar to Senco® DA)	XBA1564	FinishPro 41XP, 42XP SFN40 FinishPro 35 SFN1, SNF1+ SN1, SFN30, SFN2B Airfree 41 GT65DA	DAFN-6480	DA1564K		DA250A DA250B DAFN- 6480 CDA250	NT65MA3 NT65MA2 NT65AA NT65MA MT65GA NT65GBP9	GRTAN25	D51275 D51276K DC628K DWF72155	AF633 AF631 AF632	NF-550/15-65 NF665/15	Rigid: R250AFA Fasco: F3C BA-50 Fasco: F4 BA-65 Fasco: R3C BA-50C Fasco: R4 BA-65 Fasco: F48A-65CT
1512-1520 15 Gauge Brads 1-1/2" to 2-1/2"	XB1564											
1510FNG-1520FNG 15 Gauge FN Brads 1-1/4" to 2-1/2" (Similar to Bostitch® FN15)	XBFNG4			N52FN N59FN N60FN N62FN							NF510/15-50	

# UNIVERSAL FASTENERS

SPOTNAILS FASTENERS	Spotnails®	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
16210FNG-16220FNG 16 Gauge Angle Brads 1-1/4" to 2-1/2" <i>(Similar to Paslode® Angled)</i>				N50FN	T250A-F16 T250-F16 3250-F16		DWPF72155		DC618K Cordless DC614KA Cordless DCN660B			
16512-16540 16 Gauge Brads 3/4" to 2-1/2"	WB1650 XB1564 W1B1650 CB1650	Finish Pro 32 Finish Pro 32XP Fusion F-16S	Sure Shot 764 LFN-748A 1-1/2" LFN-764A-2" BFN-740	FN1664K FN16250K-2 SB-1664-FN T40-B T36-50 T35-40 GFN1664K	T250-F-16 3250-F16 IM250-F16 MU-112, F16200 MU-212-F 3200-F16 F16200	FN250 FN250A FN250B FN200	NT65M2 NT65A3 NT65GS NT65A2 NT65A NT65GSP9	GRTFN250	D51256 DC51257K DC612KA Cordless DC616KA Cordless		NF 352-ST/16-50 NF565/16	Rigid: R250SFA Haubold: SKS64A/16 Omer: 14.63NS, 14.50 Fasco: F3C FN-50A Fasco: F26C FN-50 Fasco: F3P FN50
18508-18532 (AX) 18 Gauge Brads 1/2" to 2"	WB1850 TB1840 CB1832 CB1850 EB1832 W1B1850 T1B1840	Finish Pro 15XP Finish Pro 18 XP Finish Pro 2N1 Finish Pro 25XP LS4 LS5 SLP20/LS1 SDN18BR	BB-4440 DBN-40525C Pro-5 DBN-4440 DBN-4450 SureShot 4450 SureShot 4450ST	BT1855K BT35B BT50B BT125SK BT200K T29-30,T31-1 SB01842BN SB01850BN SB-21N1	T125-F18 T200-F18 Cordless 901000 2138-F18 2138-F18II IM200-F18	BN125A BN138 BN200A/B BN200V12	NT45A NT32AE NT50AD NT50AE	GRTBN200	D51238 D51236K DC608K DC608B DC608K DWFP12233 DWFP12231	AF501 AF502 AF503 AF505	NF 211/18-25 NF 211/18-50 NF 221/18-55 NF255-ST/18 NF201/18-35 (PX Only) NF235-F/18	Rigid: R213BNA Omer: 12.20, 12.40 Omer: 12.50 Fasco: R3C-GN-50 Fasco: F21T GN-40A Fasco: F20 PGN-31 Fasco: F20 TGN-40 Fasco: F25A GN-40 Fasco: F26C GN-50
18508-18516 (AY) 18 Gauge Brads, 1/2" to 1" <i>(Similar to Senco® AY)</i>		SLP20, LS4/LS5 Finish Pro 25XP Fusion F-18						F21T GN-40A CT				Fasco: F2B GN50 Fasco: F21P GN-31 Fasco: F21T GN-40CT
18508 (AZ) 18 Gauge Brads, 1/2" <i>(Similar to Senco® AZ)</i>		LS1, SLP20XP	SureShot 2232									Fasco: F21P GA15/31A
23005-23032 23 Gauge Headless Pins 5/16" to 2"	SP2325 SP2340	SHP10 Finish Pro 10 Finish Pro 11	SureShot 2336	HP118K		Pin 100 Pin 138	NP35A	GRTPIN23		AF201Z	NF235A/23-35	Omer: PR.18, P.25, PR.28 Fasco: F1B A64 12/18 Rigid: R138HPA Cadex: CP-23-30 Cadex: CP-23-35 Cadex: CP-23-50 Grex: P650, P645, P635
1407PGH 14 Gauge 1" Wide Crown Staples - High Tensile, 7/8" <i>(Similar to Bostitch®)</i>				538S214								
2407PGH-2410PGH 15/16" Wide Crown Staples - High Tensile, 7/8" to 1-1/4" <i>(Similar to Paslode® GSW14)</i>	MS2440				4150-W14 MU-112-W14							
7512-7520 15 Gauge 1/2" Med Crown Staples, 1-1/2" to 2-1/2" <i>(Similar to Bostitch® BCS15S4)</i>	FS7550 MS7564		FloorMaster-200-S	MIII-FS			N5009AF	GR200FS	DWMIIIIFS			Primatech: P260 Primatech: P220
6510-6520 15 Gauge 7/16" Med Crown Staples, 1-1/4" to 2-1/2" <i>(Similar to Senco® Q)</i>	MS6564	SQS55XP	MS-1580D									
1605-1620 16 Gauge 1" Wide Crown Staples, 5/8" to 2-1/2" <i>(Similar to Bostitch® 16S2)</i>	XS1640, XS1650 XS1640RFH X1S1640 X1S1650 X1S1640RFH X1S1664			43852R T35-8 T35-32 450S2R T40S2-CT T50S2-1								Omer: WS.38 Fasco: F3C ATW-38
2605-2616 16 Gauge 15/16" Wide Crown Staples, 5/8" to 2" <i>(Similar to Paslode® GSW16)</i>	XS2640 XS2650 X1S2640 X1S2650				S150-W16R S200-W16 MU-112-W16R 3150-W16 3150-W16R 3200-W16		N5021A	GRTS1516				Omer: WK.38 Fasco: F3C PSW-38R Fasco: R3C PSW-39CT
3604-3616 16 Gauge 1" Wide Crown Staples, 1/2" to 2" <i>(Similar to Senco® P/ Duo-Fast® 1700)</i>	XS3640(LM) XS3650 XS3640RFH X1S3640(LM) X1S3650 X1S3640RFH	MW, MWXP-1, PW, PW-2" PW-R, PW 200 PW150/R SPS, SPS-RFR	KW-1748 RNS-1748I RS-1748 SW-1748				N5024A N3824A		GRTS1200	AT2550A		Omer: WP.38 Fasco: R3C SNW-38TL Fasco: F3C SNW-38R
6605-6616 16 Gauge 7/16" Med Crown Staples, 5/8" to 2" <i>(Similar to Senco® N/Bostitch® 16S5)</i>	XS6650(LM) MS6650i X1S6650(LM)	M1, M2+, M2 SKS N12-N17 SNS45, SNS40, SNS41 SNS44XP, SNS45XP SNS50, SKSXP-N SNS200XP		438S5 538S5 650S5 T40S5 750S5		MS200	N5008AB N5008AC		D51430 GRTSM200	AT1150A	TA551A/16-11 TA551/16-11	Fasco: F4 PG-50 Fasco: F45C G-55 Fasco: R3 CG-40CT Fasco: R4 PG-50CT Fasco: F45C B7-55 SS
7605-7616 16 Gauge 1/2" Med Crown Staples, 5/8" to 2" <i>(Similar to Bostitch® 16S4)</i>	XS76-8650 MS76-8650i X1S76-8650			750S4 850S4 T55S4-1 T40S4-CT T36-1, T36-50 650S4 T50S4-1 438S4, T38								

SPOTNAILS FASTENERS	Spotnails®	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
8605-8616 16 Gauge 1/2" Med Crown Staples, 5/8" to 2" <i>(Similar to Paslode® GS16)</i>	XS76-8650 MS76-8650i X1S76-8650				IM200-S16 S200-S16 MA-S16L 3200-S16 3200-S16P 3150-S16 PA-200		N5010A		D51431			Fasco: R3C HD-40 VIL-SID Fasco: F45C GC/16-SS
5620-5664 16 Gauge 7/16" Med Crown Staples, 5/8" to 2" <i>(Similar to Duo-Fast® 7600/Bostitch® 16S5/Paslode® GS116)</i>	XS6650(LM) MS6650i X1S6650(LM)		KS-7648 1-1/2" MS-7664E 2" DS-7656P 1-3/4" DS-7664P 2w" SM-7648 SM-7664		3150/38 116 GSI 3150 3200-116 MA-GS116							
6712 17 Gauge 7/16" Med Crown Staples, 1-1/2" <i>(Similar to Senco® D/Bostitch® 17S5/BeA® 14)</i>	XS6650(LM) MS6650i X1S6650(LM)	M1, M2+, M2 SKS N12-N17 SNS45, SNS40, SNS41 SNS44XP, SNS45XP SNS50, SKSXP-N		438S5 538S5 650S5 T40S5 750S5		MS200	N5008AB N5008AC	GRTSM200	D51430	AT1150A	TA551A/16-11 TA551/16-11	Fasco: F4 PG-50 Fasco: F45C G-55 Fasco: R3 CG-40CT Fasco: R4 PG-50CT Fasco: F45C B7-55 SS
5803-5812 18 Gauge 5/16" Medium Crown Staples 92 Series, 3/8" to 1-1/2" <i>(Similar to Bostitch® SL5035)</i>	TS5825F T1S5825F			S32SL SL150 SB150SLBC								BeA: 92/25-553 BeA: 92/40-722 Fasco: F22A 92-25
6803-6812 18 Gauge 3/8" Medium Crown Staples, 3/8" to 1-1/2" <i>(Similar to Senco® M/Duo-Fast® W1800)</i>	TS6825 T1S6825S T1S6825V T1S6825	SKS-M SLS20-M SLS25-M	DMS-W1832 SS W1848									Fasco: F21T SG-25
4803-4813 18 Gauge 1/4" Narrow Crown Staples, 3/8" to 1-5/8" <i>(Similar to Senco® L/Duo-Fast® 1800)</i>	WS4840 TS4825 WS4840W2 WS4840W4 WS4840W6 W1S4840 W1S4840W6 T1S4825	SLS15MG SKSN4450 KMN4450 SLS25XP LN4450, SKS L FinishPro 2N1 SLS18, SLS20	SureShot 1848F SureShot 1832 SureShot 1848 KB-1836 SureShot 1848SL KN1848A BN-1832 DNS-1840			NS100 NS150 NSS150 NS100B NS100A NS150A NS150B	N3804AB2/3 N3804AB	GRTSN150	D51420K D51422K DWFP1838	AT638	TA238/18-6	Rigid: R150FSA Kihlberg: PN6040V Fasco: F20P 90-25 Fasco: F20T 90-30 CT Fasco: F20T 90-40 CT Fasco: R3C 90-40 CT BeA: 90/25-552 BeA: 90/40-621 BeA: 90/32-611 Fasco: F2B 90-40 CT Fasco: F20P 90/25 Fasco: F20T 90-30 CT
4811PN 18 Gauge 1/4" Narrow Crown Staples, 1-3/8" <i>(Similar to Senco® L/Duo-Fast® 1800)</i>	WS4840W2 WS4840W4 WS4840W6 W1S4840W6											
1804-1812 18 Gauge 7/32" Narrow Crown Staples, 1/2" to 1-1/2" <i>(Similar to Bostitch® SX5035)</i>				S32SX SX150 SX1838K								
3804-3810 18 Gauge 3/16" Narrow Crown Staples, 1/2" to 1-1/4"	TS3832 AF3807S T1S3832											Fasco: F3 38-30CT
2806-2812 18 Gauge 3/16" Narrow Crown Staples, 3/4" to 1-1/2" <i>(Similar to Paslode® GSN18)</i>					2125118 MU112-N18 2118-N18 2125-N18 3150-N18 S150-N18							
416-616-816-1016 1" Wide Corrugated Fasteners, 416-1/4", 616-3/8" 816-1/2", 1016-5/8" Lengths	XC1016 RC1016 X1C1016	SC2	DCF-100A	BA-T358								Fasco: R4P CF-12CT Fasco: F45C CF9- -15SS (CT) BeA: WM
FFSMICRO6-FFSMICRO15 1/2" Crown Corrugated Fasteners, 1/4" to 5/8"	XC1008 X1C1008											
TABFLEX15B Flex Points 5/8"												Omer: T53-Tab Tool
CC-A Carton Closing Staples 1-1/4" Crown 5/8" to 7/8"	HSC3519A KSC3519A			T541202 T541302 T541402 T551212 T551312 BTFFP12181 F84, F84-138 D16-2, D16-2AD DS-3522								CCC: HC-A, AC-A Kihlberg: a.560M Kihlberg: a.560M22 Kihlberg: a.560PN Kihlberg: a.560PN22 Klinch-Pak: KP-APN Klinch-Pak: KP-APN22 Klinch-Pak: KP-AM ISM: HB/HC 100T ISM: AB/AC 100T
CC-C Carton Closing Staples 1-1/4" Crown 5/8" to 3/4"	HSC3219C KSC3219C BOT-3222C-AM BOT-3222C-PM BOT-3222C-AP BOT-3222C-PP			T542202 T542302 T552212 T552312 BTFFP12180 F84-114 D19AD DS-3219								BeA: AT-C18 CCC: HC-C, AC-C Kihlberg: 561/56PN Kihlberg: a.561M Kihlberg: a.561M22 Kihlberg: a.561PN Kihlberg: a.561PN22 Klinch-Pak: KP-CN Klinch-Pak: KP-CM ISM: HB/HC 150T ISM: AB/AC 150T
CCB7437 Carton Closing Staples 1-3/8" Crown 5/8" to 3/4"				D16-2 D16-2AD F84 DS-3522								


# UNIVERSAL FASTENERS

SPOTNAILS FASTENERS	Spotnails®	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
<b>CCRR1</b> Carton Closing Roll Staples 1-1/4" Crown 5/8" to 3/4"	KSR3219R											CCC: RC1000 Kihlberg: R557PN Klinch-Pak: KP-RR1
<b>CCGR1</b> Carton Closing Roll Staples 1-1/4" Crown 5/8" to 3/4"	KSR3219G											Klinch-Pak: KP-GR1 ISM: RA1000T ISM SRB-GR
<b>CCBR1</b> Carton Closing Roll Staples 1-3/8" Crown 5/8" to 3/4"	KSRSWC7437			D61ADC, D62ADC D60ADC FC95EC FC95EC-ARM FC96EC								Klinch-Pak: KP-SWC
<b>136025-136095</b> Cap Staples, 5/8" to 1-1/2"	TCS6832 LCS6838											
<b>136225</b> Cap Staples, 5/8"	GCS8116											
<b>136420</b> StaplePac, 3/8"	136400 136401											
<b>136260</b> Cap Nails, 1"	136250											
<b>26124-26132</b> 16 Gauge Flooring 'L' Cleat 1-1/2" to 2"	FCL2650	SHF50/15/10 SHF200	FloorMaster- -200-C FM245L FM250ALR	HFN1 MIIFN MFN200 MFN201		FCN200		GR200LCN				Powernail: 445/445Flex Powernail: 45/45R Primatech: P210/P240
<b>28220-28128</b> 18 Gauge Flooring 'L' Cleat 1-1/4" to 1-3/4"												Powernail: 50P Powernail: 50M Flex Primatech: Q550 Primatech: Q500 Primatech: Q510
<b>U Crown Mattress Staple</b> 16 Gauge 3/8" Wide Crown, 3/4"				BCAR-2S BCAR1B-495-92L								
<b>Hog Rings</b> 69012 D-Ring, 3/4"	RH22			TR201 TR203								BeA: HR60-22 King Hughes: KRF-G22
<b>Hog Rings</b> 69020 C-Ring, 3/4"				SC7 SC7C								
<b>31002-31009</b> 3/8" Crown Fine Wire Staple, 1/8" to 9/16" <i>(Similar to Duo-Fast® 3100)</i>			SS 3118 SS3118 DLAF									Fasco: F1A31-16
<b>34510H-34512H</b> 3/16" Crown-High Tensile Fine Wire Staple, 5/8" to 3/4" <i>(Similar to Duo-Fast® 3400 Series)</i>			SureShot-3424									
<b>35504-35509/36505</b> 1/2" Crown Fine Wire Staple 1/4" to 9/16" <i>(Similar to Duo-Fast® 5000)</i>	35000 DS5016, JS5016 JS5016LN BS5016AF 35001 PS5016		SS5020 SS5020S SS 5020 DLAF HT550, CT859 CS-5000									BeA: 95/14 Kihlberg: 64 Fasco: F1A 50-16 BeA: 95/16-425 Fasco: F1B 50-16 Omer: 50.16 Omer: 50.16CL
<b>32506-32509/34509</b> 3/16" Crown Fine Wire Staple, 3/8" to 9/16" <i>(Similar to Duo-Fast® 5400)</i>			SS 5424 ENC-5418 BN-5424	CR1000E								Fasco: F1A 54DF-18 Fasco: F1B 54DF-18
<b>37506-37516</b> 3/16" Crown Fine Wire Staple, 3/8" to 1" <i>(Similar to Duo-Fast® 6400)</i>			SS6432									Fasco: F21P 64DF-25A
<b>30207H-30212H</b> 1/2" Crown-High Tensile Fine Wire Staple, 7/16" to 3/4" <i>(Similar to Duo-Fast® 6500)</i>			SureShot6524									
<b>38506-38509/35706</b> 1/2" Crown Fine Wire Staple, 3/8" to 9/16" <i>(Similar to Duo-Fast® 7500)</i>	35700		HT755									
<b>91206-91210</b> 1/2" Crown Fine Wire Staple, 3/8" to 5/8" <i>(Similar to Bostitch® SB103020)</i>	DSP103020			P51-10B								
<b>83506</b> 3/8" Crown Fine Wire Staple, 3/8" <i>(Similar to Bostitch® SHCR5019)</i>				H2B								


SPOTNAILS FASTENERS	Spotnails®	Senco®	Duo-Fast®	Bostitch®	Paslode®	Porter®	Hitachi®	Grip-Rite®	Dewalt®	Makita®	Max®	Other
82504-82509 7/16" Crown Fine Wire Staple, 1/4" to 9/16" (Similar to Bostitch® STCR5019)				PC2K H30-8D6 H30-8, T5-8 ET5, T15								Kihlberg: R-19 Fasco: F1BSR5-16
81504-81508 3/8" Crown Fine Wire Staple, 1/4" to 1/2" (Similar to Bostitch® STCR2619)				H30-6 T5-6 P6C-6 PC3000-0C2 T5-60C2								
67504-67508 1/2" Crown Fine Wire Staple, 1/4" to 1/2" (Similar to Bostitch® SB5019/ Senco® F/Paslode® PW50)	DSP5019	DFP, J5 SFW10XP-F SJS-F SJ10-F		P51-5B-E P50-5B								Fasco: F1A SR5-16
78504 1/4" Fine Wire Staple, 1/4" (Similar to Bostitch® STCR2115)				B-8P								
73004 3/8" Crown Fine Wire Staple, 1/4" (Similar to Bostitch® SP19)				P-3								
97506-97516 3/16" Crown Fine Wire Staple, 3/8" to 1"	TEM2132			LHF97125-2 BA-T407, BA-T510 S3297		FCN200		GR200LCN				
85504-85509/86506 3/8" Crown Fine Wire Staple, 1/4" to 9/16" (Similar to Rapid A11®/Arrow® T50)	85000 JSA1116 BSA1116AF PSA1116	H Slap Hammer PC0705	Slapshot	PHT150C TR100 TRE500								Arrow: T-50, HT-50 Rapid: A-11, R-11 Fasco: F1A A11-16 Fasco: Auto L/M
84504 3/8" Crown Fine Wire Staple, 1/4" (Similar to Rapid® A19)	84000 84001											Rapid: R-19
94206-94210 1/2" Crown Fine Wire Staple, 3/8" to 5/8" (Similar to JK777)	DSP777											Kihlberg: JK-20T-L
95506-95510 1/2" Crown Fine Wire Staple, 3/8" to 5/8" (Similar to JK779)	DSP779											Kihlberg: JK-20T JK-20T-L
77505 1/2" Crown Fine Wire Staple, 5/16" (Similar to 24/8 Staples)												Zenith Plier Staples Rapid R-1 Binding Stapler
74001 1/2" Crown Fine Wire Staple, 1/4" (Similar to 26/6 Standard Staple)												Office Staplers
70001 1/2" Crown Fine Wire Staple, 1/4" Undulated Staples	07020											
87002-87009 3/8" Crown Fine Wire Staple, 1/8" to 9/16" (Similar to Senco® C)	DS7116 JS7116, IS7116 JS7116LN BS7116AF PS7116	SJS JG SFTB SFW10XP-C	BN5424	21671B 21671B-LN 21671B-A 21671B-ALM		US58						Kihlberg: 20/670 Haubold: PN814 Fasco: F1B 7C-16, F23G-16 BeA: 71/16-421
98004-98009 1/2" Crown Fine Wire Staple, 1/4" to 9/16" (Similar to BeA® 80)	DS8016 JS8016 JS8016LN BS8016AF PS8016			21680B 21680BLN 21680B-ALM								BeA: 80 Haubold: PN814 Kihlberg: JK-20-680
99004-99009 3/8" Crown Fine Wire Staple, 1/4" to 9/16" (Similar to Haubold® 1400)												Haubold: PN1416F Haubold: PN141G

## Common Types of Staples


Chisel Point




Cross Chisel




Divergent Point



Outward Clinch





# Don't See An Item You Want? We Produce Run To Order Items!


21° ROUND HEAD NAILS		
	Stock #	Length
	2-8D113SSR	2-3/8"
	2-10D120SSR	3"
	2-12D120SSR	3-1/4"


JOIST HANGER NAILS		
	Stock #	Length
	TRJ4D148SS-2M	1-1/2"


ROOFING NAILS		
	Stock #	Length
	CRN10SSR-3.6M	1-1/4"
	CRN12SSR-3.6M	1-1/2"
	CRN14SSR-3.6M	1-3/4"


COIL FENCING NAILS		
	Stock #	Length
	CW4D090SSR-3.6M	1-1/2"
	CW5D090SSR-3.6M	1-3/4"
	CW5.5D090SSR-3.6M	1-7/8"
	CW6D090SSR-3.6M	2"
	CW7D090SSR-3.6M	2-1/4"
	CW8D090SSR-3.6M	2-1/2"


15 GAUGE DA ANGLE BRADS SIMILAR TO SENCO® DA 4M BOXES		
	Stock #	Length
	1516APS	2"
	1520APS	2-1/2"


15 GAUGE DA ANGLE BRADS SIMILAR TO SENCO® DA 1M CLAMSHELL PACK		
	Stock #	Length
	15112APS	1-1/2"
	15116APS	2"
	15120APS	2-1/2"


15 GAUGE FN ANGLE BRADS SIMILAR TO BOSTITCH® FN15 1M CLAMSHELL PACK		
	Stock #	Length
	15112FNS	1-1/2"
	15116FNS	2"
	15120FNS	2-1/2"


16 GAUGE ANGLE BRADS SIMILAR TO PASLODE® ANGLED 1M CLAMSHELL PACK		
	Stock #	Length
	16112FNS	1-1/2"
	16116FNS	2"
	16120FNS	2-1/2"


16 GAUGE BRADS 2.5M BOXES		
	Stock #	Length
	16224SS	1-1/2"
	16232SS	2"
	16240SS	2-1/2"


16 GAUGE BRADS 1M CLAMSHELL PACK		
	Stock #	Length
	16124SS-8M	1-1/2"
	16132SS-8M	2"
	16140SS-8M	2-1/2"


16 GAUGE BRAD 316 SS - 1M CLAMSHELL PACK		
	Stock #	Length
	16124SS-8M-316	1-1/2"
	16132SS-8M-316	2"
	16140SS-8M-316	2-1/2"


18 GAUGE AX BRADS 1M CLAMSHELL PACK		
	Stock #	Length
	18110SS-8M	5/8"
	18112SS-8M	3/4"
	18116SS-8M	1"
	18120SS-8M	1-1/4"
	18124SS-8M	1-1/2"
	18132SS-8M	2"


18 GAUGE AX BRADS 5M CLAMSHELL PACK		
	Stock #	Length
	18516SS	1"
	18520SS	1-1/4"
	18524SS	1-1/2"
	18532SS	2"


23 GAUGE PINS 3M BOXES		
	Stock #	Length
	23308SS	1/2"
	23312SS	3/4"
	23316SS	1"

15 GAUGE STAPLES 1/2" MEDIUM CROWN SIMILAR TO BOSTITCH® BCS15S4		
	Stock #	Length
	7516PS-4.5M	2"

15 GAUGE STAPLES 7/16" MEDIUM CROWN SIMILAR TO SENCO® Q		
	Stock #	Length
	6520PS-6.2M	2-1/2"

16 GAUGE STAPLES 15/16" WIDE CROWN SIMILAR TO PASLODE® GSW16		
	Stock #	Length
	2608PS-10M	1"

16 GAUGE STAPLES 1" WIDE CROWN SIMILAR TO SENCO® P/DUO-FAST® 1700		
	Stock #	Length
	3608PS-10M	1"

16 GAUGE STAPLES 7/16" MEDIUM CROWN SIMILAR TO SENCO® N/BOSTITCH® 16S5		
	Stock #	Length
	6608PS-10M	1"
	6610PS-10M	1-1/4"
	6612PS-10M	1-1/2"
	6614PS-10M	1-3/4"
	6616PS-10M	2"



**16 GAUGE STAPLES  
1/2" MEDIUM CROWN**  
SIMILAR TO BOSTITCH® 16S4

Stock #	Length
7610PS-10M	1-1/4"
7612PS-10M	1-1/2"
7614PS-10M	1-3/4"
7616PS-10M	2"

**16 GAUGE STAPLES  
1/2" MEDIUM CROWN**  
SIMILAR TO PASLODE® GS16

Stock #	Length
8608PS-10M	1"
8610PS-10M	1-1/4"
8612PS-10M	1-1/2"
8614PS-10M	1-3/4"
8616PS-10M	2"

**16 GAUGE STAPLES  
7/16" MEDIUM CROWN**  
SIMILAR TO DUO-FAST® 7600  
BOSTITCH® 16S5/PASLODE® GSI16

Stock #	Length
5636PS-10M	1-1/8"
5640PS-10M	1-1/4"
5648PS-10M	1-1/2"

**18 GAUGE STAPLES  
1/4" NARROW CROWN**  
SIMILAR TO SENCO® L/DUO-FAST® 1800

Stock #	Length
4803PS-50M	3/8"
4805PS-25M	5/8"
4806PS-25M	3/4"
4807PS-25M	7/8"
4808PS-25M	1"
4810PS-25M	1-1/4"
4812PS-25M	1-1/2"

**FLOORING CLEAT**

Stock #	Length
26132SS	2"

**FINE WIRE STAPLES 3/8" CROWN**  
SIMILAR TO DUO-FAST® 31

Stock #	Length
31004SS	1/4"
31006SS	3/8"

**FINE WIRE STAPLES  
1/2" CROWN STAPLES**  
SIMILAR TO DUO-FAST® 50

Stock #	Length
35504SS	1/4"
35506SS	3/8"
35508SS	1/2"
36504SS	1/4" DP
36506SS	3/8" DP
36508SS	1/2" DP

**FINE WIRE STAPLES  
3/8" CROWN**  
SIMILAR TO RAPID® A-11/ARROW® T-50

Stock #	Length
85506SS	3/8"

**FINE WIRE STAPLES  
3/8" CROWN**  
SIMILAR TO SENCO® C/BEA® 71

Stock #	Length
87003SS	3/16"
87004SS	1/4"
87006SS	3/8"
87008SS	1/2"

**FINE WIRE STAPLES  
1/2" CROWN**  
SIMILAR TO BEA® 80

Stock #	Length
98004SS	1/4"
98006SS	3/8"
98008SS	1/2"

# SPOTNAILS®



## CONTACT US

1100 Hicks Road, Rolling Meadows, IL 60008

Phone: 800.873.2239 | Fax: 888.369.2588

Email: [CustomerService@Spotnails.com](mailto:CustomerService@Spotnails.com)

## FIND US

For the Dealer Nearest You

[SPOTNAILS.COM/DEALER-LOCATOR](https://www.spotnails.com/dealer-locator)

For aftermarket parts and accessories, please visit:  
[Nailerparts.com](https://www.nailerparts.com) and [Partskrafters.com](https://www.partskrafters.com)

**RELIABILITY**  
*Provin*

**PK PARTS KRAFTERS**